

ROPIMEX FOLDING SCREEN RFW

Wall-Mounted, Mobile & Column-Mounted Privacy Screens



Manufactured by Ropimex® (Germany)
• Exclusively distributed in Australia by CHS Healthcare



1300 789 420



sales@chshealthcare.com.au



www.chshealthcare.com.au



Head Office: 1 Technology Circuit, Hallam VIC 3803



NSW Showroom: BASE Unit 1.03, 106-110 Euston Road, Alexandria NSW 2015

 **CHS Healthcare**[®]
We're Here For You

Flexibly Usable, Built to Last

The Ropimex® Folding Screen (RFW) is flexibly usable as a screen or partition in the hospital and care sector — engineered in Germany and exclusively distributed throughout Australia by CHS Healthcare.

The robust, impact-resistant folding screen is positioned in seconds and parked back against the wall after use. The number of leaves can be extended at a later date, and non-see-through, translucent polycarbonate infill panels create a pleasant, light atmosphere while maintaining full patient privacy.



Key Features

- **10-year warranty** on the hinge system
- Non-see-through, **360° rotating hinges** — tearproof and impact-resistant
- Translucent polycarbonate infill panels, 2mm, flame retardant class B1
- Extruded aluminium frame, anodised surface, V2A stainless steel fittings
- Available **wall-mounted, mobile (with trolley), or column-mounted**
- Choose from **29 colours and 21 designs** via the online folding-wall configurator



How It Works & Configurations



Non-see-through 360° hinges.
Tearproof. The RTC unit (ropimex® Turn&Connect) enables 360° leaf rotation, so each panel folds flush and reopens without binding.



Note: Mounted on a trolley, the folding screen is only mobile. It is therefore not possible to convert it to a wall-mounted screen or to fix it to an equipment rail or mobile - with trolley column.

Open Width by Leaf Count

Leaves	Open Width	Leaves	Open Width
3-leaf	90 cm	7-leaf	210 cm
4-leaf	120 cm	8-leaf	240 cm
5-leaf	150 cm	9-leaf	270 cm
6-leaf	180 cm	10-leaf	300 cm

Mounting Options



Wall-Mounted



Mobile with Trolley



Column-Mounted



Lockable Castors

Technical Specifications

Leaf Width	30 cm
Heights	145 / 165 / 185 cm
Weight	3.00 – 4.00 kg / leaf
Frame	Extruded aluminium (Al Mg Si 05), anodised, V2A stainless steel screws
Infill Panels	Polycarbonate, 2mm, white translucent, flame retardant class B1, extremely impact resistant
Care	Disinfectable with commercially available cleaning products

Mobile trolley versions available in heights 145 and 165 cm only, up to 10 leaves. Accessories: spacer set for wall fixing, clamp set for double-track rail, stainless steel column.



Adaptable partitioning for hospitals, clinics and aged care.

Ropimex® is a registered trademark of ROPIMEX R. OPEL GmbH, Germany. CHS Healthcare is the exclusive Australian distributor.